

QS13

12.5Litre Ultrasonic Bath

Ultrawave's Series offers outstanding performance for use in scientific and laboratory applications, chiropody, veterinary and many other professional environments.

Incorporating Ultrawave's Frequency Leap Technology, homogenous cavitational activity is generated throughout the ultrasonic bath reducing dead spots and standing waves. This provides a more consistent scrubbing action for excellent results.





The **QS13** is a 12.5Litre heated, digital ultrasonic bath.

The menu driven control panel allows simple adjustment of cycle time (0 to 99 minutes), temperature (ambient to 70°C), ultrasonic power and frequency mode for precise and accurate processing.

Combining features such as degas mode, fluid level sensor and a memory card port, the **QS13** offers repeatable and traceable cleaning performance with consistent cleaning results every time.

Web:



Eastgate Business Park Wentloog Avenue Cardiff CF3 2EY United Kingdom Tel: +44 (0) 845 330 4236 Fax: +44 (0) 845 330 4231 Email: admin@ultrawave.co.uk

www.ultrawave.co.uk



QS13

12.5Litre Ultrasonic Bath

Construction Case 304 Stainless Steel

Construction Tank 304 Stainless Steel

Front Panel ABS Plastic

Control Digital LCD

Overall Dimensions 375 x 345 x 265mm (WxDxH)

Tank Dimensions $330 \times 300 \times 150 \text{mm}$ (WxDxH)

Basket Dimensions 285 x 260 x 110mm (WxDxH)

Maximum Capacity 13.0Litres

Working Capacity 12.5Litres

Ultrasonic Power 200W

Ultrasonic Power (per Litre) 16W/Litre

Operating Frequency 32 - 38KHz Frequency Leap

Maximum Heating Capacity Ambient - 70°C

Heater Power 300W

Timer 0 - 99 minutes

Mains Connection 220 – 240V (50 - 60Hz)

Drain Outlet 1/2" BSP VALVE

Lid ABS Plastic

Basket Stainless Steel

Gross Weight 10.9kg

(inc. lid, basket & packaging)

Net Weight 8.25kg

Warranty 3 Years



Web:



www.ultrawave.co.uk